

Connectivity

Definition. A graph G is **connected** if for every pair of vertices a and b in G , there is a **path from a to b in G** .

That is, there exists a sequence of distinct vertices v_0, v_1, \dots, v_k such that $v_0 = a$, $v_k = b$, and $v_{i-1}v_i$ is an edge of G for all i , $1 \leq i \leq k$.

Lemma A. IF there is a path from vertex a to vertex b in G
and a path from vertex b to vertex c in G ,
THEN there is a path from vertex a to vertex c in G .

Proof. By hypothesis,

- ▶ There exist
- ▶ If all the vertices are distinct, path R :
- ▶ If not all vertices are distinct, then choose the *first* vertex v_p in P that is also a vertex w_q in Q .

Lemmas A and B

Lemma B. Let G be a connected graph. Suppose G contains a cycle C and e is an edge of C . The graph $H = G \setminus e$ is connected.

Proof. Let v and w be two vertices of H .

We need to show that there is a path from v to w in H .

Because G is connected, there exists a path $P : v \rightarrow w$ in G .

If P does not pass through e , then _____.

If P does pass through $e = xy$, break up P as $P_1 e P_2$, where $P_1 : v \rightarrow x$, $P_2 : y \rightarrow w$. These are both paths in H .

Write the cycle C as $C = xz_1z_2 \cdots z_kyx$.

Therefore, there is a path $Q : x \rightarrow y = xz_1z_2 \cdots z_ky$ in H .

Claim: There is a path from v to w in H . **Why?**

Connectivity and edges

Theorem 1.3.1. If G is a connected graph with p vertices and q edges, then $p \leq q + 1$.

Proof. Induction on the number of edges of G .

▶ **Base Case.** If G is connected and has fewer than three edges, then G equals either:

▶ **Inductive Step.**

Inductive hypothesis:

$p \leq q + 1$ holds for all connected graphs with $k \geq 3$ edges.

We want to show:

$p \leq q + 1$ holds for all connected graphs with

Break into cases, depending on whether G contains a cycle:

(next page)

Connectivity and edges

- ▶ **Case 1.** There is a cycle C in G .

Use Lemma B. After removing an edge from C ,

- ▶ **Case 2.** There is no cycle in G .

Find a path P in G that can not be extended.

Claim: The endpoints of P , a and b , are leaves of G .

Remove a and its incident edge to form a new graph H .

Can we apply the inductive hypothesis to H ?



★ Important Induction Item: Always **remove** edges. ★

Trees and forests

Definition. A **tree** is a connected graph that contains no cycles.

Definition. A **forest** is a graph that contains no cycle.

These definitions imply: (Fill in the blanks)

1. Every connected component of a forest _____.
2. A connected forest _____.
3. A subgraph of a forest _____.
4. A subgraph of a tree _____.
5. Every tree is a forest.

Trees are the smallest connected graphs; the following theorems show this and help classify graphs that are trees.

Thm 1.3.2, 1.3.3: Let G be a connected graph with p vertices and q edges. Then, G is a tree $\iff p = q + 1$.

Thm 1.3.5. G is a tree iff there exists exactly one path between each pair of vertices.

Proof of Theorems 1.3.2 and 1.3.3

Thm 1.3.2,1.3.3: Let G be connected with p vert's and q edges. Then,

$$G \text{ is a tree} \iff p = q + 1.$$

Proof. (\implies) Use reasoning like Theorem 1.3.1:

Remove leaves one by one. Every time we remove a leaf,

(\impliedby) Proof by contradiction.

Suppose that G is connected and not a tree. Want to show: $p \neq q + 1$.

A graph that is connected and is not a tree _____.

By Lemma B, remove an edge from this cycle to find a graph H with ____ vertices and ____ edges.

Theorem 1.3.1 applied to H implies that $p \leq (q - 1) + 1$, so $p \leq q$.

Therefore $p \neq q + 1$.

Proof of Theorem 1.3.5

Thm 1.3.5. G is a tree iff there exists exactly one path between each pair of vertices.

(\Rightarrow) Suppose that G is a tree. Then G is connected, so for all $v_1, v_2 \in V$, there exists at least one path between v_1 and v_2 . Suppose that there are two paths, $P_1 = v_1 u_1 u_2 \cdots u_n v_2$ and $P_2 = v_1 w_1 w_2 \cdots w_m v_2$.

(\Leftarrow) Suppose G is not a tree.

Either (a) or (b) .

(a) There exist two vertices v_1 and v_2 with no path between them.

(b) For v_1, v_2 in a cycle, there exist two paths between v_1 and v_2 .

In both cases, it is not the case that between each pair of vertices, there exists exactly one path.

Related theorems

Definition. A **bridge** is an edge e such that its removal disconnects G .

Theorem 2.4.1. Suppose that G is a connected. Then
 G is a tree \iff Every edge of G is a bridge.

Proof. (\implies) Let $e = vw$ be the edge of a tree G .
The graph $G \setminus e$ is no longer connected because
we removed from G its one path between v and w .

(\impliedby) Let G be a connected graph with a cycle C .
The removal of any edge in C does not disconnect the graph.

Theorem 3.2.1. A regular graph of even degree has no bridge.

Proof. Let G be a regular graph of even degree with a bridge $e = vw$.